



Achtung: Schweißstellen  
attention: sealing bars  
attention: bloc de soudure

## FULL WRAPPING MACHINE UNIVERSA 300



Our smallest  
footprint yet



Complete product range  
for efficient packaging processes

**Kalfass** 

Results count.

# Full wrapping machine for small formats

## UNIVERSA 300

The smallest member in the Universa family is characterized by its high performance and small footprint. The packaging system with the smallest footprint in the Kalfass range of products, based on the proven and robust Universa series, it produces film packaging in high quality, just like its bigger „family members“. Your benefit: Small, powerful, efficient!



The figure may show optional equipment, ordered separately

### Technical specifications

	Universa 300
Dimensions: length x width x height	1820 x 1670 x 1400
Transverse seal bar, length	350 mm
Seal bar clearance height	200 mm
Power supply	208 - 480 Volt
Film, centre-folded film	approx. 12 - 80 µm
Transport speed	adjustable, 10 - 35 m/min
Packaging capacity, max.	85 cycles / minute



Universa 300: Small, powerful and efficient. A compact machine for small formats. With 7" widescreen Easy Touch-Panel.

### Your benefits highlighted

- New user interface: 7" widescreen Easy Touch-Panel for easiest use for intuitive operator guidance. Redesigned graphic surface for perfect packaging results within the shortest time
- Perfect packaging results for small-format products with full-wrap packaging
- Low space requirements due to its compact design
- Easy integration of the system into existing production lines
- Kalfass product path control for easy changes in format and speed
- Inlet conveyor can be extended for easy and quick threading of the film
- Continuously heated sealing die with replaceable sealing bar, available in various profile shapes for optimum sealing seams, customized to fit the product and film

**Solution based on Kalfass quality. Competence in production of a wide range of packaging machines, from customer tailored systems to packaging systems for integration into production lines.**